C2408/C3210

> MULTIFUNCTION SYSTEMS
WITH CONVENIENCE COLOR

# Print, copy, scan and fax. Black and white and full color.




## Savin C2408/C3210

savin®

# C2408/C3210 – Compact Systems

## The Answer You're Looking For

The Savin C2408/C3210 blend high-performance multifunctional capabilities and economical operation in a single, compact system. Now you don't need to tie up valuable office space with separate systems for black and white and full color output. And, you'll save money by reducing the need for separate supplies and multiple maintenance contracts. At 8/10 ppm for full color output and 24/32 ppm for black and white, the C2408/C3210 will change the way you look at office equipment. In fact, a C2408 or C3210 may very well be the only document imaging system you need!

## You Can Afford Color

Full color output used to be costly and was reserved for highly specialized applications. But now the C2408/C3210 combine low acquisiton costs with operating costs that are virtually the same as comparable B/W MFPs. And, when you think about the considerable advantages that color brings – a competitive edge, a professional look, a reduction of outside printing costs – then you can't afford not to have color in your office.

## Paper And Electronic Files Working Together

If your business is like most, it's likely that you have more than a few documents that exist only on paper. The question… how do you integrate those paper-based documents with the documents that exist on your network in electronic form? The answer…a C2408/C3210 with network scanning capabilities.

- Quickly scan up to 50 pages – black and white or full color, single-sided or two-sided – and then save them to the Hard Disk Drive as PDF, TIFF or JPEG files.
- Scan full color images at 600 x 600 dpi resolution and 8 bits per pixel, which accurately captures fine details and 16.7 million colors.
- Expertly control image quality from a workstation on the network using the TWAIN interface and the image editing application of your choice.

Once you've scanned your documents, Savin technology makes them easy to manage.

## Document Server Technology

With Savin's revolutionary Document Server, there's no "digital divide" separating hardcopy and electronic documents. The Document Server efficiently manages hardcopy and electronic files while facilitating advanced print-on-demand capabilities. And, working with documents in the Document Server is a pleasure:

- Store documents in the Document Server and distribute them any way you want – paper, e-mail or fax – all without re-transmitting/scanning.
- Easily create complex documents – including those that are a mix of hardcopy and electronic files – and distribute/output them on an as-needed basis.

## Scan To E-Mail

Implement a real-time, electronic document delivery service – eliminating the need to print and then distribute documents via costly overnight services or fax. And, with the ability to manually type in e-mail addresses, there are virtually no limits on who you can communicate with.

# With High-Performance Multifunctio

## Scan To File

Scan documents to file and make it easy for workgroup members to collaborate on mission critical documents.

## Sit Back, Click "Print"

Connect your C2408/C3210 to your LAN and your entire workgroup gains access – via one of two standard page description languages – to black and white, full color, duplexing and automatic stapling – right from the desktop.

- PCL 5c provides an instantly familiar user interface, reducing user training time.
- RPCS (Refined Print Command Stream) makes instant document production experts out of anyone in your office. RPCS dramatically increases user productivity by making all output selections a single click away via easy-to-identify graphic icons. Optimized for Windows® clients, RPCS provides superior performance when printing documents created in popular Windows applications such as Word, PowerPoint and Excel.
- For those environments with Macintosh clients, or for those who use desktop publishing applications, there's an optional Adobe PostScript 3 interpreter.

# nal Capabilities.




## Walk-Up, Press "Start"

As copiers, the C2408/C3210 excel in every way. Scan Once, Print Many and Trayless Duplexing ensure that the document workflow moves at the speed of your business. The C2408 and C3210 come standard with all the capabilities that increase user productivity and enhance versatility – including Automatic Image Optimization, Job Preset, Electronic Sorting, Twin Color and One-Touch Enlargement/Reduction.

## Dial The Number, Press "Send"

Add the optional Super G3 Fax module and the C2408/C3210 become your communication hub. Featuring ultra-fast transmission speeds and high-end fax functionality – including support for up to three lines for simultaneous transmission and reception – the C2408/C3210 Series' fax option will instantly achieve "hero" status in your busy office.

LAN-Fax capabilities boost productivity by allowing users to enjoy "walk-up" functionality without ever leaving their desks. And, if you have a hard time separating faxes from print or copy output, it's easy to program the C2408/C3210 to print incoming fax messages in cyan or magenta for quick visual identification.

## Simplicity At Work

Even while incorporating the most sophisticated document processing and management technology available, the C2408/C3210 are easy to use. An intuitive Touch Screen Panel expertly guides you through any task – from basic to advanced – with ease.

Additionally, the C2408/C3210 automatically analyze your documents and then fine-tune the output settings, which means you can focus on more pressing business matters.

## Won't Quit Until The Job's Done

Regardless of your document finishing requirements, the C2408/C3210 Series has a solution that eliminates the tedious task of hand-collating mixed color and black and white output.

- Standard Electronic Sorting and Image Rotation eliminate the need to purchase additional hardware and automate time-consuming hand-collation tasks – a significant productivity enhancer!
- Select from a 500-sheet Finisher that automatically staples up to 30 pages in one position, or a 1,000-sheet Finisher that handles documents as large as 12" x 18" and automatically staples up to 50 pages in up to two positions.

The optional Internal Shift Sort Tray can sort and collate hardcopy output without the expense of a finisher.

Automatically route incoming faxes to a specified output tray and you'll never have to worry about missing an important fax message.

Routine maintenance tasks are a breeze thanks to the C2408/C3210's easy-to-replace toner cartridges.

savin

C2408/C3210

# Customize A C2408/C3210 To Meet Your Specific Requirements.

2 x 250-Sheet Trays
100-Sheet Bypass Tray
2 x 500-Sheet Trays
Auto Duplexing
Platen Cover

2 x 250-Sheet Trays
100-Sheet Bypass Tray
2,000-Sheet LCT
Auto Duplexing
500-Sheet Finisher
ARDF

2 x 250-Sheet Trays
100-Sheet Bypass Tray
2,000-Sheet LCT
Auto Duplexing
1,000-Sheet Finisher
ARDF

## Intelligent Software

Great hardware is just the beginning. The C2408/C3210 Series comes with a variety of utilities designed to ensure the very best document management functionality available.

## Document Management

Working in conjunction with the Document Server, DeskTopBinder Lite allows users to access and work with stored documents from the desktop. DeskTopBinder Lite makes it easy to view documents, combine different documents into one and apply finishing selections – all from the comfort of your desk.

## Scan Solutions

Save scanned documents as PDF, TIFF or JPEG files, and then distribute them to any client within the immediate network segment via ScanRouter Lite. ScanRouter Professional facilitates in-bound fax routing or upgrade to GlobalScan, our server based enterprise scanning solution featuring LDAP support and network authentication.

## Enhanced Capabilities

Job Binder features seamless integration with the RPCS utility, which enables users to assemble pages from a variety of documents – regardless of application – and then print them as a new document. And, Job Binder allows complete access to any of the C2408/C3210's advanced finishing and duplexing functions.

## Network Management

SmartNetMonitor provides "real time" status reports – including paper and toner levels, system configuration and on/off-line status – for any connected Savin peripheral device. Additionally, SmartNetMonitor allows users to re-direct print jobs to a similarly equipped C2408/C3210 in the event the targeted system runs into difficulty. And, SmartNetMonitor supports printing via multiple connected Savin peripheral devices, which greatly enhances overall throughput.

Complementing SmartNetMonitor is WebStatusMonitor, which provides support for Macintosh users and users printing across an Intranet or Internet via a standard Web Browser.

## Comprehensive Solutions

The Savin C2408 and C3210 are the only names you need to know when it comes to the most comprehensive document management solutions available today.

**For more information contact your authorized Savin sales location.**

**www.savin.com**

# Savin C2408/C3210

## COPY FUNCTION

| | |
|---|---|
| **Configuration** | Desktop |
| **Process** | Dual laser beam & dry electrostatic transfer system with mono-component development system |
| **Original Type** | Sheet/Book/Object |
| **Original Size** | Max: 11" x 17" |
| **Resolution** | Input: 600 dpi/8 bits (256 gradations)<br>Output: 600 dpi/2 bits |
| **Copy Sizes** | Max.: 11" x 17" on 12" x 18";<br>Min. 3.94" x 5.83" |
| **Maximum Imageable Area** | 11.69" x 17" |
| **Paper Sizes** | |
| **Standard Trays** | 11" x 17", 8.5" x 14", 8.5" x 11", 5.5" x 8.5", 7.25" x 10.5", 8.5" x 13", 8.25" x 13" |
| **Bypass Tray** | 12" x 18" to 3.875" x 7.5" |
| **Warm-up Time** | Approx. 99 sec. |
| **1st Copy Time** | B&W: 7.8 sec. (letter size, first tray)<br>Color: 18 sec. (letter size, first tray) |

| **Copy & Print Speed** | **C2408** | **C3210** |
|---|---|---|
| **Full Color** | 8 ppm | 10 ppm |
| **Black-and-White** | 24 ppm | 32 ppm |
| **Thick Paper** | 4/6.5 | 4/6.5 (4C/B&W) |
| **OHPs** | 2/3.2 | 2/3.2 (4C/B&W) |

| | |
|---|---|
| **Multiple Copying** | Up to 100 copies |
| **Input Paper Capacity** | |
| **Standard** | 500 sheets; Maximum: 2,600 sheets; 100-sheet bypass |
| **Optional** | 2 x 500-sheet Paper Bank; or, 2 x 1,000-sheet LCT |
| **Output Tray Capacity** | Standard: 500 sheets |
| **Maximum Output Capacity** | 1,250 sheets (with SR790) |
| **Paper Weights** | |
| **Trays** | 16 - 28 lb. Bond |
| **Bypass** | 16 lb. Bond to 90 lb. Index |
| **Reproduction Ratios** | 7 Reduction & 5 Enlargement: 400%, 200%, 155%, 129%, 121%, 100%, 93%, 85%, 78%, 73%, 65%, 50%, 25% |
| **Zoom** | From 25% to 400% in 1% increments |
| **Auto Duplex Copying** | Standard |
| **Duty Cycle** | 100,000 developments (30% color) |
| **Memory** | Standard: 128 MB; Maximum: 384 MB |
| **Hard Disk Drive** | 40 GB |

## ADVANCED COPY FEATURES

| | |
|---|---|
| **Color Selections** | Full Color; Black & White; Single Color; Twin Color |
| **Twin Color** | Black and one color; Black and Red |
| **Original Selection** | Auto Text and Photo Separation Mode; Photo Mode; Text Mode; Map Mode; Second Generation Mode; Pale/Low Density Mode |
| **Reduce/Enlarge** | Auto Magnification Selection; Directional Magnification |
| **Image Rotation** | Yes |
| **Shift/Erase Image** | Centering; Margin Adjustment; Erasing Center; Erasing Border; Erasing Center/Border |
| **Cover Sheets** | Yes: Front; Front & Back |
| **Image Color Adjustment** | Automatic Color Calibration; Auto Text and Photo Separation Mode; Photo Mode; Pale/Low Density Mode |
| **Proof Copy** | Yes |
| **Stamp/Numbering** | Yes: 8 Stamps; Date Stamping; Page Numbering |
| **Programs** | Up to 10 programs |
| **Interrupt Copy** | Yes |
| **User Codes** | Up to 80 user codes |

## PHYSICAL SPECIFICATIONS

| | |
|---|---|
| **Dimension (WxDxH)** | 21.65" x 26.37" x 30.74"<br>(41.22" with PS510 or PS520) |
| **Weight** | 187 lbs. |
| **Power Source** | 120V 12A 60Hz |
| **Power Consumption** | 1.5KW or less (Full Configuration) |

## SCANNER

| | |
|---|---|
| **Resolution** | 600 dpi, 400 dpi, 300 dpi, 200 dpi (Default), 100 dpi |
| **Original Sizes** | 11" x 17" to 5.5" x 8.5" |
| **Original Types** | Sheet/Book/Object |
| **First Scan Speed** | 0.8 sec.(exclude transmission time)<br>BW: 32 ppm (Letter/200 dpi/1 Bit/MMR)<br>FC: 5 ppm (Letter/200 dpi/8 Bit/JPEG ) |
| **Scan Mode** | BW Text, BW OCR, BW Text/Photo, BW Photo, BW Grayscale, FC Photo, FC Text |
| **Scan Density** | 7 Levels |
| **Program User Setting** | Yes: Up to 9 programs |
| **ADS** | Yes: Effective only in BW scan mode |
| **Driver** | TWAIN driver |

## PRINTER

| | |
|---|---|
| **Resolutions** | 1800 x 600 dpi; 600 x 600 dpi;<br>300 x 300 dpi (PCL 5c B&W only) |
| **Printer Languages** | PCL 5c (emulation), RPCS;<br>Optional: Adobe PostScript 3 |
| **Fonts** | 35 Intellifonts |
| **CPU** | RM5261A 250MHz |
| **Memory** | 128 MB; 384 MB Max. |
| **Hard Disk Drive** | 40 GB standard |
| **Interface** | 10/100BaseTX; Parallel Port IEEE 1284 (ECP) |
| **Optional Interfaces** | Wireless LAN Interface (IEEE 802.11b);<br>IEEE 1394 x 2 port (6 pin) |
| **Network Protocols** | TCP/IP, IPX/SPX, NetBEUI, AppleTalk (Auto Switching) |
| **Utilities** | SmartNetMonitor; WebStatusMonitor;<br>DeskTopBinder Lite; ScanRouter Lite |
| **Drivers** | PCL 5c: Windows 95/98/Me/NT4.X/2000/XP<br>RPCS: Windows 95/98/Me/NT 4.x/2000/XP<br>PostScript: Windows 95/98/Me/NT4.x/2000/XP<br>Mac OS 8.6 or later; OS X; UNIX |

## FAX OPTION

| | |
|---|---|
| **Type** | G3 Transceiver; Optional: G3 |
| **Circuit** | PSTN; PBX |
| **Resolution** | 200 x 200 dpi; 200 x100 dpi |
| **Scanning Speed** | 1.11 seconds/page |
| **Modem Speed** | 33.6 kbps |
| **Transmission Speed** | 3 sec.; 2 sec. with JBIG option |
| **Compression** | MH, MR, MMR; Optional: JBIG |
| **SAF Memory** | 2 MB Std.; 26 MB with option |

## OPTIONS

Automatic Reversing Document Feeder DF75 (Standard on C3210)
Platen Cover
2-Tray Paper Bank Unit PS510 (500 x 2)
2,000-Sheet Large Capacity Tray PS520 (1,000 x 2)
1,000-Sheet Finisher SR790
500-Sheet Finisher SR830
Internal Shift Sort Tray Type 1232
Bridge Unit Type 1232
One-Bin Fax Tray PT290
Wireless LAN Interface IEEE 802.11b
IEEE 1394 Interface
Memory Options: 144-pin DIMM; SDRAM PC133 CL3;
128 MB RAM; 256 MB RAM

savin®

*Energy Star EPA POLLUTION PREVENTER

Our earth, Our tomorrow

**Savin Corporation** Stamford, Connecticut 06904 ©2003 Savin Corporation. SAVIN® is a registered trademark of Savin Corporation. All other trademarks are the property of their respective owners. Product specifications subject to change without notice. *Only the C3210 is Energy Star compliant.
Printed in U.S.A. (S1756) 35M 1/03